

20MY Legacy/Outback Owner's Manual Supplement Additional information for the Center Information Display

Please refer to the separate Owner's Manual for information not covered in this supplement.

Please keep this supplement with your Owner's Manual and leave it in the vehicle at the time of resale.

The next owner will need the information it contains.

The function has been changed by the software update of the Center Information Display.

The list of the changes to the Owner's Manual due to this update are below.

		Applicable	
Item Number	Description	Software update by dealer via USB*1	Software update by user via Wi-Fi ^{® *2, *3}
1	Enable clock setting by touching the clock display on the status bar	×	-
2	"Auto Start Stop" and "Cruise Control Acceleration Characteristics" were moved to the "Vehicle Control" section	×	-
3	Change description "Sync With DCM" to "Auto" Change description "STARLINK" to "SUBARU STARLINK"	×	×
4	Enable clock setting by touching the clock display on the status bar	×	-
5	Change description "STARLINK" to "SUBARU STARLINK"	×	-
6	"Cruise Control Acceleration Characteristics" was moved to the "Vehicle Control" section	×	-
7	Enable clock setting by touching the clock display on the status bar	×	-
8	Enable clock setting by touching the clock display on the status bar	×	-
9	The description of the 11.6-inch display models without navigation system of "Sync With DCM" was changed to "Auto"	×	×
10	The climate control screen button positions of dual 7.0-inch display models were changed	×	-
11	The gauge in the temperature control screen was centered	×	-
12	The climate control screen button positions of dual 7.0-inch display models were changed	×	-

^{*1} Software version after updated: F11G*M02*-504

^{*2} Software version after updated: F11G*M02*-704

^{*3 11.6-}inch display system/11.6-inch display with Navigation system only

Item Number 1				
Chapter Chapter 3				
Main Title 3-8. Center Information Display (CID)				
Sub Title	11.6-Inch Display Models (If Equipped)			

▽ Status bar

The outside temperature and clock are displayed on the status bar.

NOTE

- The outside temperature indicator shows the temperature around the sensor. Therefore, the temperature indication may differ from the actual outside air temperature.
- The temperature unit cannot be changed.
- The clock can be displayed in either 12-hour display or 24-hour display. For details, refer to "Clock" P240.
- Touch the clock on the status bar to display the clock setting screen. Refer to "Clock" P240.
- For details about Bluetooth device information, refer to the navigation/ audio Owner's Manual.

Item Number 2			
Chapter Chapter 3			
Main Title	3-8. Center Information Display (CID)		
Sub Title	11.6-Inch Display Models (If Equipped)		

ļ	tem	Available settings	Page reference for the	Page reference for
1st menu 2nd menu		Available settings	vehicle system opera- tion	the setting procedure
	Vehicle Dynamics Control	ON/OFF	351	220
	X-MODE*1	Models with 1 mode: ON/OFF Models with 2 modes: Normal, Deep Snow/Mud, Snow/ Dirt	353	220
Vehicle Control	Auto Vehicle Hold (AVH)	ON/OFF	360	220
verlicle Control	Steering Responsive Headlights (SRH)*1	ON/OFF	249	220
	Cruise Control Acceleration Characteristics	Lv.1 (Eco)/Lv.2 (Comfort)/Lv.3 (Standard)/Lv.4 (Dynamic)	Refer to the Owner's Manual supplement for the EyeSight system.	=
	Auto Start Stop	ON/OFF	<u>367</u>	<u>220</u>
	Pre-Collision Braking	Setting ON/Setting OFF	Refer to the Owner's	
Driving Assistance	Lane Departure Prevention Function	All Functions/Lane Departure Prevention Function Only/Warning Buzzer Only/OFF	Manual supplement for the EyeSight system.	_
	BSD/RCTA*1	ON/OFF	381	220
	Warning Volume	Min/Mid/Max	380, 394 and *2	_
Others	Units	km, km/h, Liter/ Miles, MPH, Gallon	171 and 197	220
	Driver Monitoring System*1	ON/OFF	396	220

^{*1:} If equipped.
*2: For details about the EyeSight system, refer to the Owner's Manual supplement for the EyeSight system.

Item Number 3-1			
Chapter Chapter 3			
Main Title	3-8. Center Information Display (CID)		
Sub Title 11.6-Inch Display Models (If Equipped)			

The setting adjustments to the following items can be manually changed to meet your personal requirements.

Item		Available settings	Page reference for	Page reference for	
1st menu	2nd menu	3rd menu	Available settings	the vehicle system operation	the setting proce- dure
	Clock	Time Setting	<u>Auto</u> /Manual		240
		Time Zone*1	AUTO/Pacific/Mountain/Central/ Eastern/Atlantic/Newfoundland/ Hawaii/Alaska	240	220
		Daylight Saving Time*1	AUTO/ON (+1 hour)/OFF		220
		Clock Format	12H/24H]	220
	Display	Display Off	Turn the screen on or off.	_	220
		Brightness Dial	ON/OFF	173	220
General		Brightness/Contrast	Set and adjust the brightness and contrast of the display.	220	220
		Wi-Fi	ON/OFF	*4	_
		Connected to:	Select the registered devise.		
	Wi-Fi	Available Wi-Fi Networks	Add		
		Wi-Fi Protected Setup	PIN Setup/Push Button Setup		
		Registered Wi-Fi Networks	_		
	Wi-Fi Hotspot	_	ON/OFF	*5	

Item Number 3-2			
Chapter Chapter 3			
Main Title 3-8. Center Information Display (CID)			
Sub Title	11.6-Inch Display Models (If Equipped)		

	ltem		Available settings	Page reference for the vehicle system	Page reference for the setting proce-
1st menu	2nd menu	3rd menu	/ wanable settings	operation	dure
	Periodic Rest Notification*1	_	ON/OFF		
		Update	Check if a new software update		
	Software Update	Automatically Check for Updates	ON/OFF		
		Automatically Download Updates	ON/OFF		
General	SUBARU STARLINK Apps Recovery	_	OK/Cancel	*4	_
	SUBARU STARLINK Auto Connect	_	ON/OFF		
	Factory Data Reset	_	Reset/Cancel		
	System Information	_	_		
	Free/Open Source Software Information	_	_		

NOTE

Touch (i) to display the explanation of the items.

^{*1:} Models with navigation system
*2: Models without navigation system
*3: If equipped
*4: For details about the audio and navigation system, refer to the Owner's Manual supplement for the audio and navigation system.
*5: For details, refer to the Owner's Manual supplement for SUBARU STARLINK Safety and Security.

Item Number 4				
Chapter Chapter 3				
Main Title 3-8. Center Information Display (CID)				
Sub Title Dual 7.0-Inch Display Models (If Equipped)				

▽ Status bar

The driver profiles icon, outside temperature and clock are shown on the display.

NOTE

- The outside temperature indicator shows the temperature around the sensor. Therefore, the temperature indication may differ from the actual outside air temperature.
- The temperature unit cannot be changed.
- The clock can be shown in either 12-hour display or 24-hour display. For details about the setting, refer to "Clock" P240.
- Touch the clock on the status bar to display the clock setting screen. Refer to "Clock" P240.

Item Number 5			
Chapter Chapter 3			
Main Title 3-8. Center Information Display (CID)			
Sub Title	Dual 7.0-Inch Display Models (If Equipped)		

	Item			Page reference for the vehicle	Page reference
1st menu	2nd menu	3rd menu	Available settings	system opera- tion	for the setting procedure
	Climate Control	Customize Climate Button	A/C/MAX A/C/AUTO/Recirculation	281	237
	Language	_	English/Français/Español	197 and 205	237
	Tire Pressure Units*1	_	kPa/PSi	201	237
	Home Screen Shortcuts	_	ON/OFF	*2	237
	Welcome Screen	_	ON/OFF	198	237
	Goodbye Screen	_	ON/OFF	198	237
General	Birthday List	_	Set a birthday.	206	238
General	Anniversary List	_	Set an anniversary day.	206	238
	SUBARU STARLINK Apps Recovery	_	OK/Cancel	*2	_
	SUBARU STARLINK Auto Connect	_	ON/OFF		
	Factory Data Reset	_	Reset/Cancel		
	System Information	_	_		
	Free/Open Source Software Information	_	_		

 $\begin{array}{l} \textbf{NOTE} \\ \textbf{Touch} \ \widehat{\textbf{\ \ }} \ \textbf{to \ display the explanation of the items.} \end{array}$

^{*1:} If equipped *2: For details about the audio and navigation system, refer to the Owner's Manual supplement for the audio and navigation system.

Item Number 6			
Chapter	(235,1) Chapter 3		
Main Title 3-8. Center Information Display (CID)			
Sub Title	Dual 7.0-Inch Display Models (If Equipped)		

Item			Page reference for the vehicle	Page reference	
1st menu	2nd menu	3rd menu	Available settings	system opera- tion	for the setting procedure
X-MODE*1	_	_	ON/OFF	353	237
	Vehicle Dynamics Control	_	ON/OFF	351	237
Vehicle Con-	Auto Vehicle Hold (AVH)	_	ON/OFF	360	237
trol	Cruise Control Acceleration Characteristics	=	Lv.1 (Eco)/Lv.2 (Comfort)/Lv.3 (Standard)/Lv.4 (Dynamic)	*2	=
	Pre-Collision Braking —		Setting ON/Setting OFF		
Driving Assistance	Lane Departure Prevention Function	_	All Functions/Lane Departure Prevention Function Only/ Warning Buzzer Only/OFF	*2	_
	Warning Volume	_	Min/Mid/Max	*2	237
Others	Units	_	km, km/h, Liter/ Miles, MPH, Gallon	171 and 197	237
	Auto Start Stop	_	ON/OFF	367	237

^{*1:} For Outback *2: For details about EyeSight system, refer to the Owner's Manual supplement for the EyeSight system.

Item Number 7		
Chapter	Chapter 3	
Main Title	3-9. Clock	
Sub Title	Setting the Clock Manually	

■ Setting the Clock Manually

▼ Dual 7.0-inch display models

1. Turn the ignition switch to the "ON" position.



- 2. Press 介 (HOME).
- 3. Touch O (Settings).
- 4. → "General"
- 5. → "Clock"
- 6. → "Time Setting"



- 7. → "Manual"
- 8. $\rightarrow \bigwedge$ or \bigvee
- 9. → "OK"

NOTE

The clock setting screen can also be displayed by touching the clock on the status bar.

Item Number 8		
Chapter	Chapter 3	
Main Title	3-9. Clock	
Sub Title	Setting the Clock Manually	

▼ 11.6-inch display models

1. Turn the ignition switch to the "ON" position.



- 2. Touch (HOME).
- 3. $\rightarrow \mathbf{Q}^{o}$ (Settings)
- 4. → "General"
- 5. → "Clock"
- 6. → "Time Setting"



- 7. → "Manual"
- 8. $\rightarrow \bigwedge$ or \bigvee
- 9. → "OK"

NOTE

The clock setting screen can also be displayed by touching the clock on the status bar.

Item Number 9		
Chapter	Chapter 3	
Main Title	3-9. Clock	
Sub Title	Setting the Clock Automatically	

▼ 11.6-inch display models


1. Turn the ignition switch to the "ON" position.



- 2. Touch (HOME).
- 3. $\rightarrow \mathbf{Q}^{o} \overline{\text{(Settings)}}$
- 4. → "General"
- 5. \rightarrow "Clock"
- 6. \rightarrow "Time Setting"
- 7. → "Auto"

Item Number 10		
Chapter	Chapter 4	
Main Title	4-2. Climate Control Panel	
Sub Title	Dual 7.0-Inch Display Models	


▼ Climate control screen



- : Touch the climate control mode indicator
-) Climate control mode indicator
- 2) Climate control ON/OFF button
- 3) Fan speed indicator
- 4) Customizable icon*
- 5) Airflow mode selection screen
- 6) Climate control mode select button
- 7) Fan speed control screen
- *: The customizable icon can be changed to the favorite icon. Refer to "General settings" P229.

Item Number 11			
Chapter	Chapter 4		
Main Title	4-2. Climate Control Panel		
Sub Title	Dual 7.0-Inch Display Models		

▼ Temperature control screen




- : Touch the set temperature indicator
- Set temperature indicator
- 2) Climate control ON/OFF button
- 3) Fan speed indicator
- 4) Customizable icon*
- 5) Temperature control screen
- 6) Temperature control bar
- *: The customizable icon can be changed to the favorite icon. Refer to "General settings" P229.

13

Item Number 12		
Chapter Chapter 4		
Main Title	4-3. Automatic Climate Control Operation	
Sub Title	Climate control screen (dual 7.0-inch display models)	

4-3. Automatic Climate Control Operation



Climate control screen (dual 7.0-inch display models)

WARNING: Operating, servicing and maintaining a passenger vehicle or off-road vehicle can expose you to chemicals including engine exhaust, carbon monoxide, phthalates and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. To minimize exposure, avoid breathing exhaust, do not idle the engine except as necessary, service your vehicle in a well-ventilated area and wear gloves or wash your hands frequently when servicing your vehicle. For more information go to www.P65Warnings.ca.gov/passenger-vehicle.









